# AGC

# SAFETY DATA SHEET

## 1. Identification

GHS product identifier LUMIFLON FE4300

SDS number AGC-J-2800

Version No. 01

**Issue date** 15-December-2020

CAS # Mixture

Recommended use Raw material for industry

Recommended Restrictions Not available.

Manufacturer

**Company name**AGC Inc. Chemicals Company Coating Business Group
1-5-1, Marunouchi, Chiyoda-ku, Tokyo 100-8405, Japan

**Phone number** +81-3-3218-5040 **Fax** +81-3-3218-7843

**Emergency telephone** 

number

Verisk 3E (Access Code 335170)

Europe: +0-800-680-0425

Asia Pacific: +1-760-476-3960,+66-21056177, +81-368908677

Middle East & Africa: +1-760-476-3959 US, Canada, Mexico: +1-866-519-4752 Other countries: +1-760-476-3971

# 2. Hazards identification

**Environmental hazards** 

**GHS** classification

Physical hazards Flammable liquids Not classified

Pyrophoric liquids Not classified
Serious eye damage/eye irritation Category 2
Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the ozone layer Classification not possible

**GHS** label elements

**Health hazards** 

Signal word Warning



**Hazard statement** 

H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

## **Precautionary statement**

Prevention

P233 Keep container tightly closed.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye/face protection.

Response

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical

assistance if you feel unwell.

P305 + P351 + P338 IF IN EYES: Ŕinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

**Storage** 

P235 Keep cool.
P405 Store locked up.
P410 Protect from sunlight.

Material name: LUMIFLON FE4300 SDS GHS UN

Store in a well-ventilated place. Keep container tightly closed. P403 + P233

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Other hazards which do not result in classification

None known.

**Supplemental information** 

None.

# 3. Composition/information on ingredients

Components	CAS#	Percent	
fluoro resin	Trade Secret	48.5	
Polyoxyethylene alkyl ether	Trade Secret	2.5	_
water	-	49	_

#### 4. First aid measures

First aid procedures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Take off immediately all contaminated clothing.

Wipe up with absorbent material (e.g. cloth, fleece).

Wash off with soap and water.

Do not use solvents and thinner for wipe up.

Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Eye

Remove contact lenses, if present and easy to do.

Continue rinsing.

Get medical attention immediately.

If swallowed, seek medical advice immediately and show this container or label.; Ingestion

Do not swallow vomit.

If possible, give a large amount of water to be discharged.

Most important symptoms and effects, both acute and delayed Not available.

Notes to physician

Provide general supportive measures and treat symptomatically.

**General advice** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective clothing when extinguishing fire, as

harmful gases may be generated during combustion.

Protection of fire-fighters

Fight fire from upwind area.

General fire hazards

No unusual fire or explosion hazards noted.

Specific methods Remove flammable materials from the environment

Use designated extinguishing media. Cool closed containers exposed to high temperatures with water.

Perform fire extinguishing activities in response to surrounding fires. Remove movable containers from the fire area wherever possible.

# 6. Accidental release measures

Personal precautions Keep unnecessary personnel away.

Keep people away from and upwind of spill/leak.

Wear appropriate protective equipment and clothing during clean-up.

Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing.

Ensure adequate ventilation.

For personal protection, see section 8 of the SDS.

**Environmental precautions** 

Contact local authorities in case of spillage to drain/aquatic environment. Do not discharge to

rivers. Be careful not to cause environmental impact

Methods for containment Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Material name: LUMIFLON FE4300

#### Methods for cleaning up

Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up. This product is miscible in water. Prevent product from entering drains. Do not allow material to contaminate ground water system.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

#### Handling

A small amount of sediment may be found in the container after standing for a long time. Please stir well before use.

Provide adequate ventilation.

Do not get in eyes, on skin, on clothing. Avoid release to the environment. Observe good industrial hygiene practices.

Use personal protection recommended in Section 8 of the SDS. Prohibit the use of fire, sparks, and hot objects in the vicinity

Do not use strong oxidizing agents.

Do not eat, drink and smoke when handling.

Wash hands and face thoroughly after handling, and do not bring protective equipment such as gloves into rest areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Storage

Store in a cool, dry place out of direct sunlight.

Store away from incompatible materials (see Section 10 of the SDS).

Store in tightly closed container.

When storing outdoors as a pail, attach a roof or cover.

To prevent freezing, do not use below 0 ° C.

Do not store in places where there is a risk of mixing with oxidizing substances and organic

peroxides.

# 8. Exposure controls / personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

**Engineering controls** 

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye wash facilities and emergency shower must be available when handling this product.

In case of indoor work, use auto application equipment or local ventilation equipment to prevent a

worker from directly being exposed

The equipment shall be made with corrosion resistant material.

Make sure that workers do not directly touch or expose corrosive substances.

#### Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Chemical respirator with organic vapour cartridge.

Skin protection

Wear appropriate chemical resistant clothing.

Respiratory protection

Hand protection

Wear appropriate chemical resistant gloves.

## 9. Physical and chemical properties

#### **Appearance**

Physical state Liquid. Milky white Colour **Form** Not available. Odour Not available. **Odour threshold** Not available. Not available. Melting point/freezing point Not available.

Material name: LUMIFLON FE4300

**Boiling point** 100 °C (212 °F) water

Flash point Not applicable, non flammable.

Not available. **Evaporation rate** Not applicable. Flammability (solid, gas) Not available. Flammability limits in air, lower, % by volume

Flammability limits in air,

Not available.

Not available.

upper, % by volume

Not available. Not available.

Relative density Solubility(ies)

Vapour pressure

Vapour density

Miscible with water Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity Density** 1.13 g/cm3

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Organic peroxide. Peroxidic substance. Strong oxidising agents.

Hazardous decomposition

products

Not available.

# 11. Toxicological information

Toxicological data

Product	Species	Test Results	
LUMIFLON FE4300			
<u>Acute</u>			
Dermal			
LD50	Rat	> 2000 mg/kg (Polyoxyethylene alkyl ether)	
Oral			
LD50	Mouse	1170 - 7600 mg/kg (Polyoxyethylene alkyl ether)	
Routes of exposure	Eye contact.		

**Acute toxicity** 

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

**Irritation Corrosion - Skin** Polyoxyethylene alkyl ether

**Draize Test** Result: Mild irritant Species: Rabbit

Serious eye damage/eye

irritation

Causes serious eye irritation.

Maximum group mean score

Polyoxyethylene alkyl ether **Draize Test** 

Result: Causes severe eye irritation.

Species: Rabbit

Respiratory sensitiser Not available.

Skin sensitisation Skin sensitization: 0.1% or more and less than 1% of substance of skin sensibility 1B is included.

Mutagenicity Not available.

Carcinogenicity None of the Japan Society for Occupational Health, ACGIH, NTP, IARC is mentioned

Material name: LUMIFLON FE4300

Reproductive toxicity

Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Not available.

Aspiration hazard

Not available.

**Symptoms** 

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision

# 12. Ecological information

**Ecotoxicological data** 

Product Species Test Results

LUMIFLON FE4300

Aquatic

Fish LC50 Fathead minnow

Fathead minnow (Pimephales promelas) 0.48 - 12 mg/l, 96 Hours

(Polyoxyethylene alkyl ether)

**Ecotoxicity** In case of leakage, disposal etc., there is a risk of influencing the environment, so handle with

care. Especially when products and washing water. Take measures not to flow directly to the

ground, river or drainage.

Environmental effects Toxic to aquatic organisms. An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulation

Not available.

Aquatic toxicity
Mobility

Toxic to aquatic organisms.

This product is miscible in water.

Other adverse effects Not available.

# 13. Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Do not flush wastewater cleaned in containers, equipment, etc. to the ground or drain. When incinerating, harmful gases may be generated, so incinerate in an equipment that can

handle exhaust gas.

Waste generated by wastewater treatment, incineration, etc. shall be processed or consigned

according to Waste Management and Public Cleansing Act. and the related laws.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. The remaining products (residual waste) should be discarded according to the law concerning waste disposal and cleaning and the prefectural / municipal

regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

ADR

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

**IMO** instruments

Material name: LUMIFLON FE4300 SDS GHS U

1570 Version #: 01 Issue date: 15-December-2020

#### **General information**

In case of falling under the Fire Service Law, Occupational Safety and Health Law, Poisonous and Deleterious Substances Control Law, follow the transportation method prescribed by each

applicable law.

To comply with the provisions of the ship safety law. Follow the aviation laws.

When transporting, keep the container at 40  $^{\circ}$  C or below, taking care not to fall over, fall, or damage.

# 15. Regulatory information

Regulatory information

Ensure this materials in compliance with federal requirements and ensure conformity to local

regulation.

## **International Inventories**

Country(s) or region On inventory (yes/no)\* Inventory name Canada Domestic Substances List (DSL) Yes Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

## 16. Other information

#### **Disclaimer**

AGC Inc. Chemicals Company Coating Business Group

SDS is a document for business operators. Not all materials and literature have been investigated, so there may be information leaks. In addition, the content will change due to the announcement of new knowledge and correction of the existing theory. When used for important decisions, it is recommended to examine the sources carefully and to confirm by examination. No guarantee is made for the data or evaluation described. In addition, the items described are intended for normal handling. Therefore, when handling specially, be sure to implement safety measures suitable for new applications and usages before handling. Attach this SDS when transferring this product. This product is an industrial product, it is not the thing which developed / manufactured assuming the medical use.

Material name: LUMIFLON FE4300 SDS GHS UN

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).